



**GUJRAT NARMADA VALLEY FERTILIZERS AND CHEMICALS LIMITED**

Regd. Office: PO: Narmadanagar-392015, Dist: Bharuch (Gujarat) INDIA  
CIN: L24110GJ1976PLC002903

**18<sup>th</sup> May'2019**

**Requirement of 11,000 MT (±15%) of BENZENE**

GNFC intend to procure approximately 11,000 (±15%) MT of on FOR GNFC, Bharuch site basis as per the Technical Specifications mentioned hereunder at "Annexure-A"

GNFC requires the material as above for its production requirement during the period **July '2019 to June '2020**.

**ELIGIBILITY CRITERIA:**

- a) The bidder must have an arrangement for sufficient storage of Benzene in order to ensure supply of offered Benzene quantity uninterruptedly during the Contract period.
- b) Bidder must have been engaged in the business of manufacturing/trading for the sale and supply of BENZENE for a minimum period of 02 (TWO) years.
- c) Net Worth during the last audited financial years shall be positive

The bidders who are interested to participate in the tender meeting above eligibility criteria are hereby intimated to contact following officials for further information to submit their offers.

Such interested bidders shall have to send their request mail for issue of Tender enquiry to the following officials on or before **24.05.2019, 17.00 Hrs. IST**.

Contact Persons:

- |                                   |                                  |
|-----------------------------------|----------------------------------|
| 1. BS Limbachia, General Manger   | - Email ID : bslimbachia@gnfc.in |
| 2. VM Patel, Addl. General Manger | - Email ID : vmpatel@gnfc.in     |
| 3. S M Shah, Senior Manager       | - Email ID : sureshshah@gnfc.in  |

**BS Limbachia  
General Manager (MM)**



## **GUJRAT NARMADA VALLEY FERTILIZERS AND CHEMICALS LIMITED**

Regd. Office: PO: Narmadanagar-392015, Dist: Bharuch (Gujarat) INDIA  
CIN: L24110GJ1976PLC002903

### **ANNEXURE-A**

#### **TECHNICAL SPECIFICATIONS OF BENZENE**

1) Benzene purity	:	99.95% by wt. Min. (Test Method- ASTM D-4492)
2) Appearance	:	Clear colorless liquid free from un-dissolved water at outdoor temperature and free from mechanical impurities (Test Method- Visual).
3) Solidification point	:	5.45° C Minimum
4) Specified gravity @ 15.5 Deg C	:	0.882 to 0.886 gm/ml.
5) Toluene	:	0.025% w/w Max. (Test Method- ASTM D-4492)
6) Aliphatic Hydrocarbon	:	0.025% w/w Max. (Test Method- ASTM D-4492)
7) Moisture	:	300 PPM Max.
8) Total Sulphur/Thiophene	:	1 mg / kg Max. (Test Method- ASTM D-4492)
9) Distillation Range	:	< 0.6 Deg. C including 80.1 (1 to 96% volume)
10) Residue on Evaporation	:	10 mg/kg Max.
11) Color	:	10 APHA max.
12) Acid wash color	:	1 max.
13) Bromine Index	:	10 mg Br / 100gm.
14) Acidity	:	Nil /mg NaOH /100 gm.

\*\*\*